

Apollo Hardwood



105
Blackbutt Ivory



505
Blackbutt Limed



520
Spotted Gum
Blonde



525
Blackbutt
Sandbank



530
Spotted Gum
Coastal



535
Blackbutt Elegant



540
Spotted Gum
Riverbank



545
Blackbutt Classic
Riverbank



555
Spotted Gum
Natural



710
Spotted Gum Ash



735
Blackbutt Stormy



790
Spotted Gum Burnt

Apollo Hardwood

Comprising of homegrown wood species Blackbutt and Spotted Gum in a stunning longboard, Apollo Hardwood promises a distinctly Australian look. Each design is represented in six distinct shades to complement your unique interior style. With the astonishing durability and waterproof surface^A properties of Godfrey Hirst hybrid flooring, Apollo Hardwood is ideal for all areas of a busy home.

Technical Data

Type:	Hybrid Flooring	Finish:	Matte
Dimensions:	1830mm x 152mm	Surface:	Embossed
Total Product Thickness:	6.5mm	Top Layer:	Decorative Film & Wear Layer
Wear Layer:	0.5mm	Substrate Layer:	Trigon® Core Technology (Limestone Composite)
Units Per Box:	6 boards	Backing Layer:	1.5mm Acoustic Backing
m² per box:	1.67	Profile:	Micro Bevel
m² per pallet:	110.22	Coating System:	PUR
Colours:	12	Installation Method:	Unipush® -tap fold-down
Country of Origin:	China		

Performance

Dimensional Stability:	(ISO 23999) Length: 0.05%, Width: -0.00%, Curling: 0.00%	Flammability:	(EN ISO 9239) CRF 10.9kW/m ²
Abrasion Rating:	(EN 660-2) Group T	Smoke Value:	(EN ISO 9239) 81% minutes
Impact Sound Reduction:	Please refer to Godfrey Hirst Acoustic Performance specification sheet	Slip Resistance:	(AS 4586) P3
Light Fastness:	(EN ISO 105-B02) Grade 6	Warranty:	25 Year Hybrid Limited Residential Warranty*
Light Reflectance Values:	Available on Request		

Sustainability

Product Transparency:	Global Green Tag, GreenRate Level A certified
Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits

Trigon Core Technology	Global Green Tag	Colour Variation	ISO 9001 Quality Management System	ISO 14001 Environment Management System	Micro Bevel Edge	Embossed	Matte Finish	Waterproof Surface ^A
25 Year Hybrid Limited Residential	0.5mm Wear Layer	Premium						

All Godfrey Hirst hybrid floors products must be installed in accordance with relevant Australian Standards and in conjunction with the Godfrey Hirst Hybrid Flooring Installation Instructions.
 *This product comes with a residential warranty for new product installed indoors in a residential home, if properly installed and maintained. This warranty is in addition to consumers' rights under the statutory consumer guarantee provisions in the Australian Consumer Law, which may exceed the rights under this warranty. The amount recoverable under the warranty decreases after five years. For full information in respect to the scope and limitations of this warranty, please refer to the full terms and conditions available from your retailer, by calling 1300 444 776, or by download from www.godfreyhirst.com.
 † Terms and conditions apply to all commercial warranties - contact your GH Commercial Account Manager.
^ASubject to proper installation, maintenance and local building code/regulatory approval.

Apollo Hardwood

Warranty*

All Godfrey Hirst hybrid floors products must be installed in accordance with relevant Australian Standards and in conjunction with the Godfrey Hirst Hybrid Flooring Installation Instructions.
*This product comes with a residential warranty for new product installed indoors in a residential home, if properly installed and maintained. This warranty is in addition to consumers' rights under the statutory consumer guarantee provisions in the Australian Consumer Law, which may exceed the rights under this warranty. The amount recoverable under the warranty decreases after five years. For full information in respect to the scope and limitations of this warranty, please refer to the full terms and conditions available from your retailer, by calling 1300 444 776, or by download from www.godfreyhirst.com.
† Terms and conditions apply to all commercial warranties - contact your GH Commercial Account Manager.
‡ Subject to proper installation, maintenance and local building code/regulatory approval.