

insignia oak





An impressive choice in flooring

The Insignia Oak range has been created to complement a wide range of modern lifestyles. This stunning range of beautifully crafted engineered timber floors is designed to suit any contemporary space, including commercial settings.

Insignia will provide you with the peace of mind that your new designer look flooring will withstand everyday wear and tear, lasting you for years to come.



Specifications

Board Size: 2200mm x 220mm x 15mm

Pack Weight: 28kg

SQM Per Pack: 2.904m²

Finish: Smooth Finish / Wire Brushed

Features

- ✓ Engineered European Oak
- ✓ UV Lacquer & Matte Finish
- ✓ 4mm Oak Veneer
- ✓ Tongue & Groove
- ✓ Handcrafted Colouring
- ✓ Nested Boards in Packs*
- ✓ Glue Down Installation
- ✓ Floating Floor Installation
- ✓ Hydronic Heated Slab Compatible[^]

10 year
commercial
wear warranty

20 year
residential
wear warranty

Lifetime
structural
warranty



*Nested boards refers that the packs contain both short and full length boards. Minimum length 600mm.

[^]Please refer to our Installation Instructions and Heated Slab Instructions for more information on our website.




Insignia Oak colour range

Our Insignia Oak range is available in both light and dark tones, giving your interior space that sophisticated designer look you have been dreaming of.

Whether you prefer a smooth finish underfoot or the more natural feel and character of wire brushed boards, Insignia Oak has a flooring solution that's perfect for you.



Waratah





Bluebell

Wire Brushed
UV Lacquer
4mm Oak Veneer



Willow

Wire Brushed
UV Lacquer
4mm Oak Veneer



Marigold

Wire Brushed
UV Lacquer
4mm Oak Veneer



Snowdrop

Smooth Finish
UV Lacquer
4mm Oak Veneer



Cassia

Smooth Finish
UV Lacquer
4mm Oak Veneer



Honeysuckle

Smooth Finish
UV Lacquer
4mm Oak Veneer



Begonia

Smooth Finish
UV Lacquer
4mm Oak Veneer



Waratah

Smooth Finish
UV Lacquer
4mm Oak Veneer



Artistry flooring accessories



SelectUnderlay 2mm and 3mm

Available in 2mm or 3mm, our EVA Acoustic Underlay offers a higher density fabrication compared to standard foam underlay, exceeding thermal and acoustic standards for residential and commercial applications.

SelectUnderlay
Acoustic Underlay



Square Edge Stair Nosings

Artistry stair nosing allows you to continue your floor scheme where there are stairs. Colours are available for the entire range.

- Architecturally designed
- Manufactured from pre-finished engineered timber
- 2215mm x 90mm x 15mm



Solid Timber Scotia

Finish the edge of your Artistry floor with our premium designed solid scotia. Colours are available for the entire range.

- Manufactured from solid timber
- 1900mm x 18mm x 18mm



Adjustable Trims

We offer high quality, aluminium adjustable trims to finish off your floor space. Available in Black, Champagne, Silver and Woodgrain finishes.

- Available profiles: C-Channel + H-Channel
- Available height: 12-15mm adjustable*



Care & Maintenance

Australian Select Timbers® brings you stylish, sustainable, sophisticated, and simply beautiful floors. Taking care of them is a must, so that their magnificent finish is preserved. By following a few simple care and maintenance guidelines, your floor will continue to be a thing of beauty for years to come.

Preventative Maintenance

- Installing good quality mats inside and outside of external doors to trap grit and remove moisture from shoes is a sensible precaution and will reduce the possibility of scratches.
- In high traffic areas, or areas where spillages may occur, the use of mats is recommended for added protection.
- All furniture should have felt pads fitted to the base of legs, or any other areas that come in to contact with the floor, to prevent scratches. On heavy furniture, felt backed castors can be used if required.
- Avoid using wheeled chairs (e.g. office furniture), or ensure that a large, good quality office mat is used to prevent indentations in the timber.
- Rubber-based items (e.g. the underside of some mats, castors under furniture, and rubber-tipped furniture feet) should not come into direct contact with the floor.
- Keep pet's nails trimmed to protect the floor from scratches.
- All timber reacts when exposed to direct sunlight, and this oxidation may cause colour changes or fading. Curtains, blinds, or UV-resistant films on windows must be used. Such precautions will help reduce exposure to direct sunlight and will protect the flooring. Furniture and rugs should be moved occasionally so that the effect of sunlight on the floor is uniform.
- Any liquids spilt on the floor must be wiped up immediately.

- Oils and fats can be highly penetrative to the surface of your floor causing irreversible staining in some instances. Spills of this nature must be carefully cleaned up immediately. The use of a small amount of non-citrus pH neutral mild dishwashing liquid in this circumstance is acceptable (**DO NOT APPLY THIS CLEANING METHOD TO ANY WAX OIL FINISH FLOORS**). Ensure the area is cleaned and dried immediately to prevent staining of the floor.
- Maintaining the temperature and humidity within a reasonably consistent range will keep the floor stable. As Artistry Collection flooring is a natural product, the humidity level in the home must be maintained at 45%-60% (relative humidity) year round, using humidifiers or dehumidifiers as necessary. Weather strips on all external doors can be installed to help maintain the environment within the building. They will also reduce extreme swings in temperature and moisture within the building.

General Cleaning

- Never use steam mops to clean your Artistry Collection floors.
- Never use wet & dry electric vacuum cleaners to clean your Artistry Collection floors.

Daily Cleaning

- Use our SelectCare+ Spray Mop and SelectCare+ Hard Floor Cleaner kit to clean the floor surface when required. This will remove stains, dirt, footprints, and any other marks that may be present.
- Dry cleaning of the floor should be carried out regularly to remove loose dirt, grit, and dust. Use our SelectCare+ Dust Cleaning Pad or a soft broom.
- If vacuum cleaning, the cleaning head must have a soft brush to avoid damage to the floor.
- After dry cleaning the floor, spray the surface sparingly with our SelectCare+ Hard Floor Cleaner and clean using the microfibre cleaning pad. Rinse the mop regularly in clean water and replace when dirty.
- If spills occur, they must be wiped up as quickly as possible. The use of a lightly damp or 'well wrung out' mop is appropriate for larger spills.
- **DO NOT 'WET'** mop the floor at any time, as excessive amounts of water may cause damage.
- Pull the mop back towards you and wipe length ways across the floor, making zigzag movements across the floor.
- Make sure floor is wiped dry with a microfibre cloth and no moisture is left on the floor after cleaning.
- **DO NOT USE** scouring products and/or any wax or varnish coating on the floor.



SelectCare+
Floor Cleaning Solutions



Keep it clean with AST's SelectCare+
Your complete floor care cleaning solution.

Australian Select Timbers®

www.asttimbers.com.au

Terms & Conditions: Please note this brochure was written by Australian Select Timbers Pty Ltd. All the information is specified correctly while writing and during publication of the brochure. The company reserves the right to change the specifications of this product at any time without prior notice to third parties.

Colour Disclaimer: We cannot guarantee that the colours you see printed on this brochure or displayed on our website accurately portray the true colours of the floorboards. Electrical devices monitors and/or screens are not calibrated equally and colour reproduction on the internet is not precise. Swatch colours can be verified by ordering a complimentary offcut sample from our website or visiting an Australian Select Timbers retail partner to view in store.